
PT AURI STEEL
METALINDO



Building
Better
Future

PRODUCT CATALOG

www.auristeel.com

adolock
Double Lock System

Aluminum sheets with a multifunctional double lock system.


Panels made of aluminum patented Double Lock System and Interlocking System. It makes the product strong, durable, and safe from earthquake pressure. Using aluminum as the main material and panel design crafted in such a way, Adolock is robust and has an aesthetically pleasing finish.



DURABLE | MODERN LOOK | OVERHAUL | INTERLOCKING | COOL MATERIAL

Adolock






Interlocking system


- Specification

AZ100/AZ150 | G550 | Galvalume | Aluminum

Thickness : 0.25 - 0.40

WHY SHOULD YOU CHOOSE ADOLOCK?








Please contact sales@auristeel.com atau telp 0246583638

AURITRUSS

All dimensions are in millimeters.

Batten TH 28






- Specification

AZ70/AZ100 | G550 | Galvalume
Thickness : 0.35 - 0.40
Standard length 6 meters

Canal C 80






- Specification

AZ70/AZ100 | G550 | Galvalume
Thickness : 0.50 - 0.75
Standard length 6 meters

Batten TH 30






- Specification

AZ70/AZ100 | G550 | Galvalume
Thickness : 0.40 - 0.45
Standard length 6 meters

Canal C 75






- Specification

AZ70/AZ100 | G550 | Galvalume
Thickness : 0.50 - 0.75
Standard length 6 meters

Asymmetric Batten TH 28






- Specification

AZ70/AZ100 | G550 | Galvalume
Thickness : 0.35 - 0.40
Standard length 6 meters

Mini Canal C 75






- Specification

AZ70/AZ100 | G550 | Galvalume
Thickness : 0.50 - 0.75
Standard length 6 meters

Wall Angle






- Spesifikasi

AZ70/AZ100 | G550 | Galvalume
Thickness : 0.25 - 0.30
Standard length 6 meters

Example of light steel connection details




AURIHOLLOW

All dimensions are in millimeters.

Hollow 2 X 4






- **Specification**

AZ70/AZ100 | G550 | Galvalume
Thickness : 0.25 - 0.30
Standard length 4 meters

Hollow 4 X 4






- **Specification**

AZ70/AZ100 | G550 | Galvalume
Thickness : 0.25 - 0.30
Standard length 4 meters

Mini Hollow 2 X 4






- **Specification**

AZ70/AZ100 | G550 | Galvalume
Thickness : 0.25 - 0.30
Standard length 4 meters

Mini Hollow 4 X 4






- **Specification**

AZ70/AZ100 | G550 | Galvalume
Thickness : 0.25 - 0.30
Standard length 4 meters

New Galvanize Hollow






- **Specification**

Galvanised | Metallic Silver
Thickness : 0.50 - 1,2
Standard length 6 meters

Available in various dimensions


Example of installation details for light steel hollow




AURIDECK / AURIFLOORDECK

Spandek 750 KR 5








Sistem Pengunci

- Specification
  AZ70/AZ100 | G550 | Galvalume
  Thickness : 0.25 - 0.40

Spandek 1000 KR 5








Sistem Pengunci

- Specification
  AZ70/AZ100 | G550 | Galvalume
  Thickness : 0.25 - 0.40


All dimensions are in millimeters

Metal Tiles 2 x 4



- Specification
  AZ70/AZ100 | G550 | Galvalume
  Thickness : 0.25

New Spandek KR9



- Specification
  AZ70/AZ100 | G550 | Galvalume
  Thickness : 0.25 - 0.40


All dimensions are in millimeters

Metal Tiles 2 x 2



- Specification
  AZ70/AZ100 | G550 | Galvalume
  Thickness : 0.25

Floor Deck 1000





- Specification
  Galvanised | Metallic Silver | Z-10
  Thicknesss : 0.50 - 0.75

All dimensions are in millimeters

AURIROOF

Sand Spandek 750 KR 5





- Specification

AZ70/AZ100 | G550 | Galvalume

Thickness : 0.25 - 0.40

Sand Metal Tiles 2 x 4






- Specification

AZ70/AZ100 | G550 | Galvalume

Thickness : 0.30

Sand Metal Tiles 2 x 2





- Specification


AZ70/AZ100 | G550 | Galvalume

Thickness : 0.30

ACCESSORIES

Sand Galvalume Ridge

Ⓐ




Galvalume Ridge

Ⓑ



Metal Ridge

Ⓒ



- Specification

Ⓐ Sand Galvalume Ridge | Ⓑ Galvalume Ridge | Ⓒ Metal Ridge

Ⓐ 0.25* | Ⓑ 0.25-0.30* | Ⓒ 0.25*

PROJECTS













PT AURI STEEL
METALINDO

Saptarengga Street No. 09
Kendal Industrial Park - Indonesia

Website : www.auristeel.com
Facebook : Auri Steel Metalindo
Instagram : @Auristeelm
Telp : 024 6583638